


325.0 250.0 Sprung safety clips x 2 Adjustable Spring Toggle x 4 280.0 694.0 Toggle Centres 874.0 900.0 Front View



View from Underneath

Motor: 1 x Internal Motor

Lighting: Tunable White LED


Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)


Soffit Opening - 880mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.







Client: Westin

Drawn by: Daniel Bradley


Title: WSW - PRIME 900 - SS GA V1 20220208 Approved by:

Ref: WSW - PRIME 900 - SS


Date:

|Scale: 1:10 A4

Units: mm



325.0 250.0 ∅ 150.0 Sprung safety clips x 2 Adjustable Spring Toggle x 4 280.0 694.0 Toggle Centres 874.0 900.0 Front View



View from Underneath

Motor: 1 x Internal Motor

Lighting: Tunable White LED


Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)


Soffit Opening - 880mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.







Client: Westin


Drawn by: Daniel Bradley


Title: WSW - PRIME 900 - REAR - SS GA V1 20220208 Ref: WSW - PRIME 900 - REAR - SS Approved by:


Date:

|Scale: 1:10 A4

Units: mm







View from Underneath

Motor: 1 x Internal Motor

Lighting: Tunable White LED

Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)


Duct: 1 x 150mm ∅ Right Outlet


Soffit Opening - 880mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by $2\ x$ sprung safety clips at opposite corners of the unit.







Client: Westin

Drawn by: Daniel Bradley

Title: WSW - PRIME 900 - RHS - SS GA V1 20220208


Approved by:

Ref: WSW - PRIME 900 - RHS - SS

Date:

|Scale: 1:10 A4

Units: mm



Motor: 1 x Internal Motor

Lighting: Tunable White LED


Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)


Soffit Opening - 880mm x 266mm


Soffit Thickness - 15mm Minimum upto 22mm Maximum


The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.









Client: Westin

Drawn by: Daniel Bradley

Title:


WSW - PRIME 900 - LHS - SS GA V1 20220208

Approved by:

Ref: WSW - PRIME 900 - LHS - SS

Date:

Scale: 1:10 A4 Units: mm



Motor: 1 x SEM Remote Motor - Separate Item

Lighting: Tunable White LED


Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)


Soffit Opening - 880mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum


The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.





112.5 97.5 262.0 292.0 Side View



View from Underneath



Client: Westin

Drawn by: Daniel Bradley

Title: WSW - PRIME 900 - EM - SS GA V1 20220208 Approved by:


Ref: WSW - PRIME 900 - EM - SS

Date:

Scale: 1:10 A4 Units: mm


Date:

08-02-22



Plan View 325.0 250.0 Ø 150.0 Sprung safety

clips x 2 Adjustable Spring Toggle x 4 280.0 694.0 Toggle Centres 874.0 900.0 Front View



View from Underneath

Motor: 1 x SEM Remote Motor - Separate Item

Lighting: Tunable White LED


Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)


Soffit Opening - 880mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.







Client: Westin

Drawn by: Daniel Bradley


Title: WSW - PRIME 900 - EM - REAR - SS GA V1 20220208 Approved by:

Ref: WSW - PRIME 900 - EM - REAR - SS

Date:

Scale: 1:10 A4

Units: mm



Motor: 1 x SEM Remote Motor - Separate Item

Lighting: Tunable White LED

Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)


Duct: 1 x 150mm ∅ Right Outlet


Soffit Opening - 880mm x 266mm


Soffit Thickness - 15mm Minimum upto 22mm Maximum


The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by $2\ x$ sprung safety clips at opposite corners of the unit.









View from Underneath

WESTIN

Client: Westin

Drawn by: Daniel Bradley

Title: WSW - PRIME 900 - EM - RHS - SS GA V1 20220208


Approved by:


Ref: WSW - PRIME 900 - EM - RHS - SS


Date:

|Scale: 1:10 A4

Units: mm







View from Underneath

Motor: 1 x SEM Remote Motor - Separate Item

Lighting: Tunable White LED


Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)


Soffit Opening - 880mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.







Westin Client:

Drawn by: Daniel Bradley

Title: WSW - PRIME 900 - EM - LHS - SS GA V1 20220208 Approved by:

Ref: WSW - PRIME 900 - EM - LHS - SS

Date:

Scale: 1:10 A4

Units: mm