

Motor: 1 x Internal Motor

Lighting: Tunable White LED

Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)



Duct: 1 x 150mm  $\phi$  Top Outlet




Soffit Opening - 500mm x 232mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.





Motor: 1 x Internal Motor

Lighting: Tunable White LED

Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)



Duct: 1 x 150mm  $\phi$  Top Outlet

Soffit Opening - 680mm x 232mm




Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



	Client: Westin Drawn by: Daniel Bradley Title: WSW - PRIME SLIM 700 - SS GA V1 20220331	Ref: WSW - PRIME SLIM 700 - SS	Approved by: _____ Date: _____	Scale: 1:10 A4 Units: mm Date: 31-03-22
--	---	--------------------------------	-----------------------------------	---



Motor: 1 x Internal Motor

Lighting: Tunable White LED

Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)



Duct: 1 x 150mm  $\phi$  Top Outlet





Soffit Opening - 780mm x 232mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.





Motor: 1 x Internal Motor

Lighting: Tunable White LED

Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)


Duct: 1 x 150mm  $\phi$  Top Outlet

Soffit Opening - 880mm x 232mm


Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



	<p>Client: Westin</p> <p>Drawn by: Daniel Bradley</p> <p>Title: WSW - PRIME SLIM 900 - SS GA V1 20220331</p>	<p>Ref: WSW - PRIME SLIM 900 - SS</p>	<p>Approved by:</p> <p>Date:</p>	<p>Scale: 1:10 A4</p> <p>Units: mm</p> <p>Date: 31-03-22</p>
--	--	---------------------------------------	----------------------------------	--



Motor: 1 x Internal Motor

Lighting: Tunable White LED

Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)





Duct: 1 x 150mm  $\varnothing$  Top Outlet




Soffit Opening - 980mm x 232mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.





Motor: 1 x Internal Motor

Lighting: Tunable White LED

Motor & Light Controls: Tactile Pushbutton (Remote Control Compatible)



Duct: 1 x 150mm  $\phi$  Top Outlet

Soffit Opening - 1080mm x 232mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



	<p>Client: Westin</p> <p>Drawn by: Daniel Bradley</p> <p>Title: WSW - PRIME SLIM 1100 - SS GA V1 20220331</p>	<p>Ref: WSW - PRIME SLIM 1100 - SS</p>	<p>Approved by:</p> <p>Date:</p>	<p>Scale: 1:10 A4</p> <p>Units: mm</p> <p>Date: 31-03-22</p>
--	---	--	----------------------------------	--